



OVERVIEW

PoE Injector is also called as power over Ethernet mid-span devices. Single port PoE injector, that is PoE power supply module, is the most flexible and the hottest products among the power supply devices. There are 2x RJ45 PoE ports for these single-port PoE injectors, one of which is the Ethernet in Port for the uplink upper switches or other upper network devices, and another is PoE Out port used as the port for network data and power output. These single-port PoE injectors supply power with the spare line pair (4/5 (+), 7/8 (-) method or the data line pair 1/2(+), 3/6(-) method.

These PoE injectors provide a simple, economical, high-performance and intelligent way for Ethernet PoE power supply and data communication. It's ideal choice for those who need the superior quality project because of its simple use, easy to install, superior performance and cost-effective. They can supply power to HD webcam through Cat5 Ethernet cable, in order that make it more flexible for the places difficult to connect to power supply, and provide with more efficient solutions.

FEATURES



- Supply power to HD network surveillance cameras with Cat5e (PoE)
- 2x 10/100/1000M RJ45 ports; 1x AC input port
- AC input: 100~240V
- Compatible with IEEE 802.3af standard
- Coming with the Ethernet network port and PoE output port, and the power input port with lightning-proof function (meet the secondary lightning protection)
- Can supply power with the spare line pair(4/5 (+), 7/8 (-) method or the data line pair 1/2(+), 3/6(-) method
- No fan, natural heat dissipation, small, quiet design, suitable for desktop or wall



TECHNICAL SPECIFICATION**XENTINO PS2G35W**

Port Description	2x copper cable RJ45 ports, 1x AC input port
Power Supply Pin	Default: 1/2 (+), 3/6 (-), optional: 4/5(+), 7/8(-)
Network Medium	1000Base-T: 5Cat and more UTP (≤100 meters)
Thermal Protection	>100°C
Working Rate	10/100/1000Mbps
Network Port Protection	IEC61000-4-2(ESD)
MTBF	100,000 hours
LEDs Indicator	PoE working status
Total Power	35W
PoE Port Power	30W
AC Input Voltage	100~240V, 50~60Hz 0.5A
DC Output Voltage	52V
Dimensions	117*51*33mm (L*W*H)
Net /Gross Weight	0.14kg
Operation TEMP / Humidity	-20° ~ 55°C; 10% ~ 90% RH Non condensing
Certification	CE mark, commercial, FCC Part 15 Class B, RoHS
Warranty	2 years, lifelong maintenance.

DIMENSION



A. RJ45 Input Port
C. PoE Output Port

B. Working Led Indicator
D. Power Input Port - AC100-240V 50/60Hz

ORDERING INFORMATION

Model	Description
PS2G35W	10/100M single port PoE injector, 2x RJ45 ports, , IEEE802.3at, total power is 35W
Notes: Default: 1/2 (+), 3/6 (-), optional: 4/5(+), 7/8(-)	

PACKAGE CONTENT

QTY	UNIT	CONTENT
1	SET	Single port gigabit PoE injector
1	PC	Power Cable
1	PC	User Guide
1	PC	Warranty Card